

BLANK PAGE



IS 4291: 1996

भारतीय मानक सी-वाशर — विशिष्टि (पहला पुनरीक्षण)

Indian Standard

C-WASHERS — SPECIFICATION (First Revision)

ICS 21.060.30

© BIS 1996

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

FOREWORD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Machine Tool Elements and Holding Devices Sectional Committee had been approved by the Production Engineering Division Council.

This Indian Standard was first issued in 1967. The present revision of the standard has been taken up to bring the standard in line with the present practice.

This standard is one of a series of Indian Standards relating to the elements of jigs and fixtures. This has been undertaken to prevent an unnecessarily large variety of shapes and dimensions of these elements being used, as well as to obtain interchangeability of these elements.

While preparing this standard, assistance has been derived from DIN 6372-1972 'C-Washers' issued by Deutches Institut für Normung (DIN).

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS.2:1960 'Rules for rounding off numerical values (revised)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard

C-WASHERS — SPECIFICATION

(First Revision)

1 SCOPE

This standard specifies the material and dimensions for C-washers for jigs and fixtures.

2 REFERENCES

2.1 The following standards contain provisions which, through reference in this text, constitute provision of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below:

IS No. Title

2102 (Part 1): General tolerances: Part 1
1993 Tolerances for linear and angular
dimensions without individual
tolerance indications (third
revision)

3403: 1981 Dimensions for knurls (revised)
4432: 1988 Case hardening steels (first revision)

3 DIMENSIONS

- 3.1 The dimensions for C-washers shall be as given in Table 1.
- 3.2 Knurling shall be done as per IS 3403: 1981.

4 TOLERANCES

4.1 The dimensional deviation for untoleranced dimensions shall be of coarse class in accordance with IS 2102 (Part 1): 1993.

5 MATERIAL

5.1 C-washers shall be manufactured from suitable quality case hardening steel (*see* 1S 4432 : 1988) meeting the requirements as given in **6**.

6 HARDNESS

6.1 The C-washers shall be hardened all over to a hardness of 370 to 410 HV 10 (\approx 38 to 42 HRC).

7, FINISH

7.1 The C-washers shall be free from cracks, burrs, pits and other defects.

8 PRESERVATION AND PACKING

- **8.1** A suitable anti-corrosive surface treatment shall be given to C-washers.
- **8.2** The C-washers shall be packed in accordance with the best trade practice.

9 DESIGNATION

9. 1 The C-washers shall be designated by the nominal size and the number of this standard.

Example:

A C-washer having nominal size 12 shall be designated as:

C-Washer IS 4291 12

10 MARKING

- 10.1 The packages containing C-washers shall be marked with the following details:
 - a) Manufacturer's name or trade-mark, and
 - b) Nominal size.

10.2 BIS Certification Marking

The product may also be marked with Standard Mark.


10.2.1 The use of the Standard Mark is governed by the provisions of the Bureau of Indian Standards Act, 1986 and the Rules and Regulations made thereunder. The details of conditions under which the licence for the use of Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.


Table 1 Dimensions for C-Washers

(Clause 3.1)

All dimensions in millimetres.







Nominal Size	b	d ₁ ¹⁾	d_2	I	s	Mass kg/100 Pieces Approx
6	6.4	22	16	0.8	6	1.2
8	8.4	28	21	1	7	2.2
10	10.5	34	25	1.2	8	4
12	13	40	30	1.8	()	5.8
16	17	56	37	1.8	12	16.5
20	21	64	45	2	14	23
24	25	75	52	2	16	32
30	31	90	65	2	18	72
36	37	100	75	2.5	20	87

¹⁾ Dimension " d_1 " is before knurling.

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act. 1986* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or trade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Handbook' and 'Standards: Monthly Additions'.

This Indian Standard has been developed from Doc No. PE 02 (0074).

Amendments Issued Since Publication

Amen	d No. Date of Issue	Text Affected
<u> </u>	· · · · · · · · · · · · · · · · · · ·	
	BUREAU OF INDIAN STANDAR	DS
Headquar	ters:	
	navan, 9 Bahadur Shah Zafar Marg, New Delhi 110002 es : 323 01 31, 323 94 02, 323 83 75	Telegrams: Manaksanstha (Common to all offices)
Regional	Offices:	Telephone
	Manak Bhavan, 9 Bahadur Shah Zafar Marg NEW DELHI 110002	$ \left\{\begin{array}{c} 3237617 \\ 3233841 \end{array}\right. $
	1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola CALCUTTA 700054	337 84 99, 337 85 61 337 86 26, 337 86 62
Northern	: SCO 335-336, Sector 34-A, CHANDIGARH 160022	$ \left\{ \begin{array}{l} 60 \ 38 \ 43 \\ 60 \ 20 \ 25 \end{array} \right. $
Southern	: C. I. T. Campus, IV Cross Road, MADRAS 600113	{ 235 02 16, 235 04 42 235 15 19, 235 23 15
	Manakalaya, E9 MIDC, Marol, Andheri (East) MUMBAI 400093	832 92 95, 832 78 58 832 78 91, 832 78 92
Branches	: AHMADABAD. BANGALORE. BHOPAL. COIMBATORE. FARIDABAD. GHAZIABAD. GUWAHAT JAIPUR. KANPUR. LUCKNOW. PATNA. THIRUV	BHUBANESHWAR. I. HYDERABAD. VANANTHAPURAM.